



NOTES:

1. FOLD AND TAPE THE BOTTOM FLAPS OF THE CARTON.
2. FOLD AND INSERT TWO TUBE ASSEMBLIES INTO THE CARTON AS SHOWN.
3. PLACE ONE BAG INTO EACH TUBE AND FILL ALL BAGS WITH THE QUANTITY SPECIFIED IN THE TABLE.
4. FOLD OVER THE TOPS OF THE BAGS, THEN FOLD AND TAPE THE TOP FLAPS OF THE CARTON.
5. LABEL AND PALLETIZE IF QUANTITIES JUSTIFY. ALL CARTONS MUST BE AT LEAST 1/4" (6mm) FROM ALL EDGES OF THE PALLET.
6. ADD CORNER PROTECTORS AND STRETCHWRAP THE CARTONS TO THE PALLET.
7. ALL SHIPMENTS FROM MCD TO BOLINGBROOK MUST BE PALLETIZED IN (UP TO 4) LAYERS OF CARTONS AS SHOWN.
8. THE PREFERRED MOQ IS ONE LAYER ON A PALLET.

NO CHANGE EC NO: UAU2017-0553 DRWN: YHPAN 2016/12/21 CHKD: APPR: DC_LISLE 2017/01/23	REV DESCRIPTION A8	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE IN/MM		SCALE 1:10	DESIGN UNITS INCH	THIRD ANGLE PROJECTION		
		$\blacktriangledown=0$ $\triangle=0$	mm	INCH	DRAWN BY P.PHELPS	DATE 2006/01/09	TITLE BULK (TUBE) PACK FOR MX150 ASSEMBLIES				
			4 PLACES \pm ---	\pm ---	CHECKED BY P.PHELPS	DATE 2006/01/09	MOLEX MOLEX INCORPORATED				
			3 PLACES \pm ---	\pm ---	APPROVED BY J.NORTHR	DATE 2006/01/09	DOCUMENT NO. PK-31300-635 SHEET NO. 1 OF 3				
		2 PLACES \pm ---	\pm ---	MATERIAL NO. SEE SHEET 2							
		1 PLACE \pm 1	\pm ---	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION					
		ANGULAR \pm 5 °									

TABLE

PREFERRED MOQ	PART #	DESC.	CARTON #	TUBE ASSY #	BAG #	QTY/ BAG	BAG/ CTN	QTY/ CTN
4800	03128004**	1X4 MALE (BLADE) SHORTING BAR ASSEMBLY	0477991015	0477994003	0477995010	200	4	800
8400	03347102**	1X2 FEMALE (RECEPTACLE) ASSEMBLY	0477991015	0477994003	0477995010	350	4	1400
4800	03347103**	1X3 FEMALE (RECEPTACLE) ASSEMBLY	0477991015	0477994003	0477995010	200	4	800
4800	03347204**	2X2 FEMALE (RECEPTACLE) CONNECTOR	0477991015	0477994003	0477995010	200	4	800
	03347240**							
	03347241**							
	03347244**							
7200	03348102**	1X2 MALE (BLADE) ASSEMBLY	0477991015	0477994003	0477995010	300	4	1200
4800	03348103**	1X3 MALE (BLADE) ASSEMBLY	0477991015	0477994003	0477995010	200	4	800
4800	03348104**	1X4 MALE (BLADE) ASSEMBLY (NO S.B.)	0477991015	0477994003	0477995010	200	4	800
TBD	03348105**	1X5 MALE (BLADE) ASSEMBLY	0477991015	0477994003	0477995010	TBD	4	TBD
3600	03348106**	1X6 MALE (BLADE) ASSEMBLY	0477991015	0477994003	0477995010	150	4	600
6000	03348204**	2X2 MALE (BLADE) CONNECTOR	0477991015	0477994003	0477995010	250	4	1000
	03348240**							
	03348241**							
	03348244**							
4200	03348206**	2X3 MALE (BLADE) CONNECTOR	0477991015	0477994003	0477995010	175	4	700
4360	033482069*	2X3 MALE (BLADE) W/O CAP	0477991015	0477994003	0477995010	185	4	740
4200	03348236**	2X3 MALE (BLADE) CONNECTOR	0477991015	0477994003	0477995010	175	4	700
3600	03348208**	2X4 MALE (BLADE) ASSEMBLY	0477991015	0477994003	0477995010	150	4	600
	03348248**							
2400	03348212**	2X6 MALE (BLADE) CONNECTOR	0477991015	0477994003	0477995010	100	4	400
	03348213**							
	03348214**							
	03348261**							
	03348262**							
	03348263**							
	03348264**							
1800	03348216**	2X8 MALE (BLADE) CONNECTOR	0477991015	0477994003	0477995010	75	4	300
	03348217**							
	03348218**							
	03348286**							
	03348287**							
	03348288**							
1200	03348220**	2X10 MALE (BLADE) CONNECTOR	0477991015	0477994003	0477995010	50	4	200
	03348221**							
	03348222**							
1760	0334829*12	2X6 MALE (BLADE) W/O CAP	0477991015	0477994003	0477995010	110	4	440

ADD SHEET 3 EC NO: UAU2017-0553 DRWN: YHPAN 2016/12/21 CHKD: APPR: DC_LJISLE 2017/01/23	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)	DIMENSION STYLE IN/MM	SCALE 1:1	DESIGN UNITS INCH	THIRD ANGLE PROJECTION	
	$\nabla = 0$ $\nabla = 0$ $\nabla = 0$	mm INCH 4 PLACES ± --- ± --- 3 PLACES ± --- ± --- 2 PLACES ± --- ± --- 1 PLACE ± 1 ± --- 0 PLACE ± ±	DRAWN BY P.PHELPS DATE 2006/01/09 CHECKED BY DATE P.PHELPS 2006/01/09 APPROVED BY J.NORTHR DATE 2006/01/09	TITLE BULK (TUBE) PACK FOR MX150 ASSEMBLIES			
		ANGULAR ± 5 °	MATERIAL NO.	DOCUMENT NO. PK-31300-635			
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	SEE TABLE		SHEET NO. 2 OF 3		
			THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				

TABLE

J
I
H
G
F
E
D
C
B
A

PREFERRED MOQ	MATERIAL NUMBER	DESCRIPTION	CARTON #	TUBE ASSY #	BAG #	QTY/ BAG	BAG/ CTN	SPQ
9600	0346750001-2	1X2 MALE (BLADE) ASSY W/O CLIPSLOT	0477991015	0477994003	0477995010	400	4	1600
9600	0346750003-4	1X2 MALE (BLADE) ASSY W/CLIPSLOT	0477991015	0477994003	0477995010	400	4	1600
6600	03475202**	1X2 CABLE SEAL (RECEPTACLE) ASSEMBLY	0477991015	0477994003	0477995010	275	4	1100
TBD	03475204**	1X4 CABLE SEAL (RECEPTACLE) ASSEMBLY	0477991015	0477994003	0477995010	TBD	4	TBD
N/A	0335420699	2X3 DELETE CAP	0967080007	0477994003	0456540001	400	4	1600
3600	0349550801	BLD 2X4 ASSY W/O TPA	0477991015	0477994003	0477995010	150	4	600
1800	0349551601	BLD 2X8 ASSY W/O TPA	0477991015	0477994003	0477995010	75	4	300
1200	0349552001	BLD 2X10 ASSY W/O TPA	0477991015	0477994003	0477995010	50	4	200
TBD	16001140**	2X4 MALE (BLADE) CONNECTOR	0477991015	0477994003	0477995010	TBD	4	TBD
2400TBD	16001160**	2X6 MALE (BLADE) CONNECTOR	0477991015	0477994003	0477995010	100TBD	4	400TBD
1200TBD	16001100**	2X10 MALE (BLADE) CONNECTOR	0477991015	0477994003	0477995010	50TBD	4	200TBD
TBD	16007420**	UL V0 2x2 FEMALE RECEPTACLE	0477991015	0477994003	0477995010	200	4	800
TBD	16007740**	8-WAY HYBRID MALE CONNECTOR	0477991015	0477994003	0477995010	TBD	4	TBD
TBD	16007750**	10-WAY HYBRID MALE CONNECTOR	0477991015	0477994003	0477995010	TBD	4	TBD
TBD	16007930**	8-WAY HYBRID MALE CONNECTOR	0477991015	0477994003	0477995010	TBD	4	TBD
TBD	16008130**	9-WAY HYBRID MALE CONNECTOR	0477991015	0477994003	0477995010	TBD	4	TBD
TBD	16008400**	UL V0 2X10 MALE (BLADE) CONNECTOR	0477991015	0477994003	0477995010	50	4	200
TBD	16008420**	UL V0 2X2 MALE (BLADE) CONNECTOR	0477991015	0477994003	0477995010	200	4	800
TBD	16010520**	UL V0 1X2 SEAL (RECEPTACLE) CONNECTOR	0477991015	0477994003	0477995010	350TBD	4	1400TBD
TBD	16010620**	UL V0 1X2 MALE (BLADE) CONNECTOR	0477991015	0477994003	0477995010	300TBD	4	1200TBD
TBD	16010660**	UL V0 1X6 MALE (BLADE) CONNECTOR	0477991015	0477994003	0477995010	150TBD	4	600TBD
1200TBD	16012100**	2X10 MALE (BLADE) CONNECTOR	0477991015	0477994003	0477995010	50TBD	4	200TBD
4800TBD	160092-20**	2X2 (RECEPTACLE) CONNECTOR	0477991015	0477994003	0477995010	200TBD	4	800TBD

J
H
G
F
E
D
C
B
A

ADD SHEET 3 EC NO: UAU2017-0553 DRWN: YHPAN 2016/12/21 CHKD: APPR: DC_LISLE 2017/01/23	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)	DIMENSION STYLE IN/MM	SCALE 1:1	DESIGN UNITS INCH	THIRD ANGLE PROJECTION
	▽=0	4 PLACES ± ---	mm INCH	DRAWN BY P.PHELPS	DATE 2006/01/09	TITLE BULK (TUBE) PACK FOR MX150 ASSEMBLIES
	▽=0	3 PLACES ± ---		CHECKED BY P.PHELPS	DATE 2006/01/09	
	▽=0	2 PLACES ± ---		APPROVED BY J.NORTHR	DATE 2006/01/09	
		1 PLACE ± 1	ANGULAR ± 5 °	MATERIAL NO.	DOCUMENT NO.	
	0 PLACE ±	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	SEE TABLE	PK-31300-635		3 OF 3
A8	REV	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				