






PRODUCT NUMBER SEE SHEET 2



spec ref	*	dr	Eddy Zeng	2014/04/17	projection	MM	size	A3	scale	3:2																		
tolerance std	ASME Y14.5	eng	Rainbow Zhan	2014/06/18			ecn no	-	rel level	Released																		
TOLERANCES UNLESS OTHERWISE SPECIFIED		chr	Li-He	2014/06/18							product family	PwrBlade+																
surface	<table border="1"> <tr> <td>linear</td> <td>0.X</td> <td>±0.5</td> </tr> <tr> <td></td> <td>0.XX</td> <td>±0.25</td> </tr> <tr> <td></td> <td>0.XXX</td> <td>±0.10</td> </tr> <tr> <td>angular</td> <td>0°</td> <td>±2°</td> </tr> </table>	linear	0.X	±0.5		0.XX	±0.25		0.XXX	±0.10	angular	0°	±2°	appr	Pei-Ming Zheng	2014/06/18			<table border="1"> <tr> <td>part no</td> <td>3ACP + 16S + 5HP</td> </tr> <tr> <td>title</td> <td>RA STB HEADER</td> </tr> </table>	part no	3ACP + 16S + 5HP	title	RA STB HEADER	<table border="1"> <tr> <td>dwg no</td> <td>10106262-8004001</td> </tr> <tr> <td>rev</td> <td>A</td> </tr> </table>	dwg no	10106262-8004001	rev	A
linear	0.X	±0.5																										
	0.XX	±0.25																										
	0.XXX	±0.10																										
angular	0°	±2°																										
part no	3ACP + 16S + 5HP																											
title	RA STB HEADER																											
dwg no	10106262-8004001																											
rev	A																											
ASME Y14.5		www.fci.com	cat. no.	Product - Customer Drw	sheet 1 of 3																							

PRODUCT NO.	ROWS	HIGH POWER				SIGNAL				HIGH POWER				E2
		E1	P1	P2	P3	1	2	3	4	P4	P5	P6	P7	
10106262-8004001LF	DCBA	HA	H1	H1	H1	T	T	T	T	H1	H1	H1	H1	HA



CODE	DESCRIPTION
HI	STD HIGH POWER CONTACT (3.43)
HA	METAL HOLD DOWN
R	STD SIGNAL CONTACT, ROW A (3.43)
S	STD SIGNAL CONTACT, ROW B (3.43)
T	STD SIGNAL CONTACT, ROW C (3.43)
U	STD SIGNAL CONTACT, ROW D (3.43)

dr	Eddy Zeng	2014/04/17	projection	MM	size	A3	scale	3:2	
eng	Rainbow Zhan	2014/06/18			ecn no	-	rel level	Released	
chr	Li-He	2014/06/18							
appr	Pei-Ming Zheng	2014/06/18	product family	PwrBlade+					
			title 3ACP + 16S + 5HP RA STB HEADER			dwg no 10106262-8004001		rev A	
www.fci.com			cat. no.		Product - Customer Drw			sheet 2 of 3	




Copyright FCI.

NOTES:

- 1) "FCI", PART NUMBER AND DATE CODE TO BE MARKED ON THIS SURFACE.
THE MARK CAN BE OMITTED IF THERE IS NOT ENOUGH SPACE ON THIS SURFACE.
- 2) MATERIALS:
-HOUSING - GLASS FILLED WITH HIGH TEMP THERMOPLASTIC, UL94V-0.
-SIGNAL CONTACT - COPPER ALLOY.
-POWER CONTACT - HIGH CONDUCTIVITY COPPER ALLOY.
- 3) PLATING SPECIFICATION REFER TO FCI 10116351
- 4) DENOTES CONNECTOR KEEP OUT ZONE.
- 5) DATUM AND BASIC DIMENSIONS WERE ESTABLISHED BY CUSTOMER.
- 6) ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES.
- 7) 1.15±0.025MM DRILLED HOLE PLATED WITH 0.00762MM MIN Sn
OVER 0.0254-0.0762MM Cu PLATING TO ACHIEVE A 1.02±0.07MM HOLE.
- 8) PRODUCT SPECIFICATION REFER TO FCI GS-12-658.
APPLICATION SPECIFICATION REFER TO FCI GS-20-141.
PRODUCT PACKAGED IN TRAYS, REFER TO FCI GS-14-1502.



Copyright FCI.

dr	Eddy Zeng	2014/04/17	projection 	MM 	size	A3	scale	3:2
eng	Rainbow Zhan	2014/06/18			ecn no	-		
chr	Li-He	2014/06/18			product family	PwrBlade+	rel level	Released
appr	Pei-Ming Zheng	2014/06/18			 title 3ACP + 16S + 5HP RA STB HEADER		dwg no 10106262-8004001	rev A
www.fci.com		cat. no.	Product - Customer Drw		sheet 3 of 3			