




REV	ECN	APP'D
-	6582	JT 9/12/10



WHITE MARKING  
.06 HT

DATE CODE

HOLES SEALED  
WITH RTV  
BOTH ENDS

NOTES:

- MATERIALS:  
HOUSING: POLYETHERIMIDE, COLOR BLACK  
GROMMET: SILICONE ELASTOMER, COLOR BLUE  
INTERNAL CONTACT: COPPER ALLOY, GOLD PLATED, PER MIL-DTL-45204, TYPE I, GRADE C, CLASS I 50 MICROINCH MIN. OVER NICKEL PER SAE-AMS-QQ-N-290, CLASS 1, 50/30 MICROINCH MIN.  
CONTACT RETAINER: STAINLESS STEEL
- SPLICE ACCEPTS (2) MATING M39029/1-100 CONTACTS (INCLUDED)
- PART COMPLIES TO ALL REQUIREMENTS PER SAE-AS81714.
- RESISTOR: 3.24KΩ, 1/4W, ±1%, RLR07C3241FS

<b>DIMENSIONS</b> ANSI Y14.5M UNITS: INCHES Pro/E FILE	<b>TOLERANCES</b> .XX ±0.01 .XXX ±0.005 ANGLES ±2.0°	<b>PROJECTION</b> 	<b>Amphenol Pcd</b> SPECIFICATION DRAWING		<b>TITLE</b> WIRE SPLICE, ELECTRONIC 3.24KΩ, 1/4W, 1% SIZE 22		
			ENGR M. DiGIACOMO 08/12/09				
<b>ORIGINAL</b>	THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION WHICH IS THE CONFIDENTIAL PROPERTY OF AMPHENOL PCD BEVERLY, MA, USA	CHKD <i>Brid Neman 9/10/10</i> APPD <i>Jack R 9/10/10</i>	SIZE <b>A</b>	DWG NO. <b>TJSE22840_C</b>	REV -		
			CODE: 58982	SCALE: 2:1	SHEET 1 OF 1		