


OPTIONAL CORE



12	10-10-1123	AE-3002-12C	2.200 ± .010	2.400 ^{+.008} / _{-.012}	55.88 ± .25	60.96 ^{+.2} / _{-.5}
11	↑ -1113	↑ -11C	2.000 ± .008	2.200 ^{+.008} / _{-.012}	50.80 ± .20	55.88 ^{+.2} / _{-.5}
10	↑ -1103	↑ -10C	1.800 ± .008	2.000 ^{+.008} / _{-.012}	45.72 ± .20	50.80 ^{+.2} / _{-.5}
9	-1093	-9C	1.600 ± .008	1.800 ^{+.008} / _{-.012}	40.64 ± .20	45.72 ^{+.2} / _{-.5}
8	-1083	-8C	1.400 ± .008	1.600 ^{+.008} / _{-.012}	35.56 ± .20	40.64 ^{+.2} / _{-.5}
7	-1073	-7C	1.200 ± .008	1.400 ^{+.008} / _{-.012}	30.48 ± .20	35.56 ^{+.2} / _{-.5}
6	-1063	-6C	1.000 ± .004	1.200 ^{+.008} / _{-.012}	25.40 ± .10	30.48 ^{+.2} / _{-.5}
5	-1053	-5C	.800 ± .004	1.000 ^{+.008} / _{-.012}	20.32 ± .10	25.40 ^{+.2} / _{-.5}
4	-1043	-4C	.600 ± .004	.800 ^{+.008} / _{-.012}	15.24 ± .10	20.32 ^{+.2} / _{-.5}
3	↓ -1033	↓ -3C	.400 ± .004	.600 ^{+.008} / _{-.012}	10.16 ± .10	15.24 ^{+.2} / _{-.5}
2	10-10-1023	AE-3002-2C	.200 ± .004	.400 ^{+.008} / _{-.012}	5.08 ± .10	10.16 ^{+.2} / _{-.5}
No OF CIRCUITS	PART No.	ENG. No.	A B		A B	
			ENGLISH		METRIC	

- NOTES:
- HOUSING : NYLON, UL94V-2, COLOR: NATURAL
TERMINAL : PHOSPHOR BRONZE
 - FINISH: HOT TIN DIP, (0.00254)/.000100 MIN
 - PRODUCT SPECIFICATION : PS-99020-0087
 - PACKAGING SPECIFICATION : PK-3002-002
 - HOUSING SUITABLE FOR (1.14±0.15)/.045±.006 RD OR SQ. PINS
 - HOOKS AVAILABLE ON ENDS ONLY
 - THIS PART CONFORMS TO CLASS B REQUIREMENTS OF COSMETIC SPECIFICATION PS-45499-002
 - CIRCUIT 1 I.D. USED TO DEFINE VOID LOCATION.
CIRCUIT 1 MAY OR MAY NOT LINE UP WITH CIRCUIT 1 OF MATING PART

PIN INSERTION DEPTH	EC NO: UCP2017-0772	2016/10/05	QUALITY SYMBOLS	▽ _A =0
	DRWN:KIPPER	2016/10/05		▽ _E =0
	CHKD:JDFOX	2016/10/07		▽ _F =0
	APPR:FSM/TH			
L2	REV			

GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE		SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION
		MM/IN		5:1	METRIC	⊙
4 PLACES	± --- ± ---	DRAWN BY	DATE	TITLE		
3 PLACES	± --- ± ---	P MOORE	1998/09/14	KONEKTCON & P.C. TAIL		
2 PLACES	± --- ± ---	CHECKED BY	DATE	TERMINAL ASSEMBLY		
1 PLACE	± --- ± ---	MGOONEY	1999/03/08	(5.08)/.200 PITCH		
0 PLACE	± --- ± ---	APPROVED BY	DATE	molex		
		MWILHITE	1999/03/08	DOCUMENT NO.		
	ANGULAR ±1/2°	MATERIAL NO.		SDAE-3002-NC-*		
	DRAFT WHERE APPLICABLE	SEE CHART		SHEET NO.		
	MUST REMAIN WITHIN DIMENSIONS	SIZE A3		1 OF 2		

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION