

## Specification Sheet

Part Number: 170-03122



Braided Sleeving, Expandable, Fray Resistant, Flame Retardant, 1.5" Dia, PET, Black, 250 ft/bulk reel

**Article Number**

170-03122

**Type**

BSSCFR1120B

**Color**

Black (BK)

**Features & Benefits**

- Increased braid density coverage provides higher level of abrasion resistance without losing flexibility.
- Treated yarns extinguish quickly and reduces potential flame spread to surrounding components.
- Cuts with ordinary scissors without fraying ends.

**Quantity Per**

reel

**Product Description**

Treated polyester yarns that can be cut with sharp scissors and provides flame retardant properties. Well suited for situations where access to a hot knife is either impractical or impossible. Contains white tracer thread for easy identification.

**Short Description**

Braided Sleeving, Expandable, Fray Resistant, Flame Retardant, 1.5" Dia, PET, Black, 250 ft/bulk reel

**Global Part Name**

BSSCFR1120B-PET-BK

**Length L (Imperial)**

250.0

**Length L (Metric)**

76.2

**Bundle Diameter Min (Imperial)**

1.25

**Bundle Diameter Min (Metric)**

31.8

**Bundle Diameter Max (Imperial)**

2.0

**Bundle Diameter Max (Metric)**

50.8

**Diameter D (imperial)**

2.0

**Diameter D (metric)**

50.8

**Nominal Diameter (Imperial)**

1-1/2

**Nominal Diameter (Metric)**

38.1

**Material**

Polyester (PET)

**Material Shortcut**

PET

**Flammability**

Mil-202 UL VW-1

**Halogen free** Yes

**Operating Temperature (Metric)** -94°F to +257°F (-70°C to +120°C)

**Reach Complaint(Article 33)** Yes

**ROHS Complaint** Yes

**UL Recognized (US)** Yes

**UL Recognized (US and Canada)** Yes

**Package Quantity(Imperial)** 250

**Package Quantity (Metric)** 76.20

**Customs Number** 3926909987

**Weight (Metric)** 2.1

**Weight (Imperial)** 4.63