

DRAWING MADE IN THIRD ANGLE PROJECTION


DWG NO 608702

UNIT OF MEASURE	A	B	C	D	E	LENGTH OVERALL	MAX BUNDLE DIA.	MIN. TENSILE STRENGTH	
INCHES	.284	.288	.185	.235	.046	7.98	1.75	50 lbs.	
MM	7.21	7.32	4.70	5.97	1.17	203.	44.45	22.68 kg.	
UNIT OF MEASURE	F	G	H	J	L	W			
INCHES	7.684	.502	1.042	.033	.966	.435			
MM	195.17	12.75	26.47	.84	24.54	11.05			

APC ENGINEERING

JUL 13 1990

ISSUED BY *Acu*



NOTES:

1. MOISTURIZED 1 TO 2.5% WATER.
2. PACKAGED IN HEAT SEALED 3 MIL POLYBAG WITH LABEL PER DWG 404707.
3. MILITARY NO. MS3368-1-A

CUSTOMER DRAWING UNPUBLISHED

LOC D	2-608702-9	NATURAL 1000 ITY134M	
DIST 1	1-608702-9	NATUARL 100 ITY134C	
	DWG SIZE	PART No.	DESCRIPTION
			REVISION OF EACH ASSY NO. (WHEN BLANK, USE DWG REVISION)
	QTY. REQ'D. PER ASSY.	PARTS LIST	
		MATERIAL NYLON 6/6	HEAT TREAT
		FINISH	
		DIMENSIONS ARE IN INCHES	DRAWN BY: AD-TEK/VL
		TOLERANCES UNLESS OTHERWISE SPECIFIED:	DATE: 7/3/90
		2 PL DEC ±	APPROVED BY:
		3 PL DEC ± .039	CHECK BY: BJM 7/90
		4 PL DEC ±	RELEASE: J. Hames 7/5/90
		ANGLES ±	<b>AMP</b>   AMP INCORPORATED Harrisburg, Pa.
		SURF TEXTURE: J	NAME: IDENTIFICATION CABLE TIE 8 INCH
		REMOVE BURRS, BREAK SHARP EDGES, .015 R. MAX.	
	✓ 0 ECN 062890	DATE 7/90	
P	F LTR	REVISION RECORD	APP DATE
		SCALE: A	DRAWING No.: 608702
			SHEET: 1 OF 1
			REV.: 0

THIS INFORMATION IS CONFIDENTIAL AND IS DISCLOSED TO YOU ON CONDITION THAT NO FURTHER DISCLOSURE IS MADE BY YOU TO OTHER THAN AMP PERSONNEL WITHOUT WRITTEN AUTHORIZATION FROM AMP INCORPORATED, HARRISBURG, PA.